

ALFOL® 6 Alcohol

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name	ALFOL® 6 Alcohol	
Synonyms	1-Hexanol, Hexyl Alcohol	
Use	Industrial & Institutional cleaning, Industrial use, Mining, Oilfield Drilling, Personal care, Pharmaceutical, Textile	
Company	Sasol Chemicals (USA) LLC (an affiliate of Sasol Chemicals North America LLC)	
Address	12120 Wickchester Lane Houston TX 77079	
Telephone	CHEMTREC North America Transportation Emergency (24-hr)	(800) 424-9300
	CHEMTREC World Wide	(703) 527-3887
	Other Emergencies (24-hr)	(337) 494-5142
	SDS and Product Information (8:00am-4:30pm CST)	(281) 588-3491
	Health and Safety Information (7:30am-4:00pm CST)	(281) 588-3492
E-mail address	SasolElectronicSDS@us.sasol.com	

SECTION 2 HAZARDS IDENTIFICATION

OSHA/GHS Hazards	Flammable liquids	Category 3
	Acute toxicity (Dermal)	Category 4
	Eye irritation	Category 2B

LABEL ELEMENTS

Hazard symbols



Signal word Warning

Hazard statements H226 Flammable liquid and vapour.
H312 Harmful in contact with skin.
H320 Causes eye irritation.

Precautionary statements

Prevention P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.

ALFOL® 6 Alcohol

P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P264 Wash skin thoroughly after handling.

Response P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P362 Take off contaminated clothing and wash before reuse.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage P403 + P235 Store in a well-ventilated place. Keep cool.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
1-Hexanol	111-27-3	>=98

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

Ingestion If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

ALFOL® 6 Alcohol

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion Flash back possible over considerable distance. NFPA Class II combustible liquid.

Suitable extinguishing media Water spray, Alcohol-resistant foam, Dry chemical, Carbon dioxide (CO₂)

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit. Keep containers and surroundings cool with water spray.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush into surface water or sanitary sewer system.

Spill precautions Material can create slippery conditions.

SECTION 7 HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations.

Storage/Transport pressure Ambient

Load/Unload temperature Ambient

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Ensure adequate ventilation, especially in confined areas.

PERSONAL PROTECTIVE EQUIPMENT

Eyes Wear as appropriate: Goggles, Face-shield

Skin Wear suitable protective clothing, gloves and eye/face protection.

Inhalation Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

ALFOL® 6 Alcohol

Contains no substances with occupational exposure limit values.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid;
Colour	Clear, colorless
Form	liquid
Odour	sweet pungent
Odour Threshold	No data available
Flash point	58 - 61 °C, 136 - 142 °F; TCC (ASTM D56);
Flammability	Upper explosion limit: approximately 8.0 %(V) Lower explosion limit: approximately 1.2 %(V)
Boiling point/boiling range	154 - 156 °C, 309 - 313 °F;
Melting point/range	-45 °C, -49 °F;
Auto-ignition temperature	290 - 313 °C, 554 - 595 °F;
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	0.5 mm Hg @ 21 °C, 70 °F;
Vapour density	4.5
Density	0.818 g/cm ³ @ 20 °C, 68 °F;
Specific gravity	No data available
Water solubility	0.59 g/100g insoluble (literature value)
Viscosity	6.561 cSt @ 20 °C, 68 °F;
pH	No data available

ALFOL® 6 Alcohol

Evaporation rate No data available

Partition coefficient: n-octanol/water No data available

SECTION 10 STABILITY AND REACTIVITY

Reactivity Stable at normal ambient temperature and pressure.

Chemical stability No decomposition if stored and applied as directed.

Conditions to avoid Keep away from heat and sources of ignition. Exposure to air or moisture over prolonged periods.

Hazardous decomposition products Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.

Materials to avoid Can react with strong oxidizers, inorganic acids, and halogens.

Hazardous polymerisation None.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute dermal toxicity LD50 Rabbit: 1,500 - 2,000 mg/kg

Acute inhalation toxicity Rat (1 hours): > 21 mg/l; dust/mist
All rats survived at indicated concentration.

Acute oral toxicity LD50 Rat: 3,210 mg/kg

Skin corrosion/irritation Primary irritation (Rabbit): 5.1 (Max. score is 8.0.)

Serious eye damage/eye irritation Primary irritation (Rabbit): 24 hours; 26.8 (Max. score is 110.)
(unwashed eyes)

Primary irritation (Rabbit): 24 hours; 32.6 (Max. score is 110.)
(washed eyes), Irreversible corneal damage at day 3, the last day of observation.

Respiratory or skin sensitisation No data available

Germ cell mutagenicity **Genotoxicity in vitro:**
No data available

ALFOL® 6 Alcohol

Genotoxicity in vivo:

No data available

Assessment Mutagenicity:

No data available

Reproductive toxicity**Reproductive toxicity:**

No data available

Assessment Reproductive toxicity:

No data available

Teratogenicity:

No data available

Assessment teratogenicity:

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Carcinogenicity**Assessment carcinogenicity:**

Contains no ingredient listed as a carcinogen

SECTION 12 ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 10 - 100 mg/l; flow-through test
(literature value)

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 24 hours: > 100 mg/l; static test
(literature value)

Toxicity to algae

ErC50 (Pseudokirchneriella subcapitata (green algae)) 72 hours: > 10 - 100 mg/l; OECD Test Guideline 201
(literature value)

Chronic toxicity to fish

No data available

Chronic toxicity to aquatic invertebrates

NOEC (Daphnia magna (Water flea)) 21 d: > 1 mg/l
(predicted value)

ALFOL® 6 Alcohol

Biodegradation Readily biodegradable.
OECD Test Guideline 301B (28 d): > 60 %
(literature value)

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Code D001 - Ignitability (RQ 100 LB). Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification.

Disposal methods Land disposal of this product is restricted. Dispose of only in accordance with local, state, and federal regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

Empty containers. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

DOT UN 2282, Hexanols, 3, III

IATA UN 2282, Hexanols, 3, III

IMDG UN 2282, Hexanols, 3, III

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No data available

SECTION 15 REGULATORY INFORMATION

ALFOL® 6 Alcohol

U.S. FEDERAL REGULATIONS

TSCA Inventory Listing

Components

1-Hexanol

CAS-No.

111-27-3

All chemical substances in this product are either on the TSCA Inventory, or in compliance with the inventory.

SARA 302 Status

Components

CAS-No.

Weight percent

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

"Fire hazard", "Immediate (acute) health hazard"

SARA 313 Chemical

Components

CAS-No.

Weight percent

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Components

none

Reportable Quantity

Weight percent

INTERNATIONAL REGULATIONS

WHMIS Classification

Flammable liquids	Category 3
Acute toxicity (Dermal)	Category 4
Eye irritation	Category 2B

European Union

Classification according to Regulation (EU) 1272/2008.

Flammable liquids, Category 3
 Eye irritation, Category 2
 Acute toxicity (Dermal), Category 4

Australia. Inventory of Chemical Substances (AICS)	Listed
Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed
Japan. ISHL - Inventory of Chemical Substances	Listed
Canada. Domestic Substances List (DSL) Inventory	Listed
Canada. Non-Domestic Substance Listing (NDSL)	Not listed
Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Listed

ALFOL® 6 Alcohol

Korea. Existing Chemicals Inventory (KECI)	Listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico	Listed
New Zealand. Inventory of Chemical Substances	Listed
Switzerland	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65

Components

none

CAS-No.

SECTION 16 OTHER INFORMATION

HAZARD RATINGS

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
HMIS®	1	2	0
NFPA	1	2	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.
