

# NOVEL® 16-20 Ethoxylate

SASOL  
reaching new frontiers



## Technical Data Sheet

### Description

Sasol North America Inc.'s NOVEL® 16-20 Ethoxylate is a biodegradable, nonionic surfactant derived from linear, primary ALFOL® 16 Alcohol. This 20 mole ethoxylate is made using Sasol North America Inc.'s patented NOVEL® technology. This yields narrow range or "peaked" ethoxylates that have lower free alcohol, PEG levels, and melting ranges when compared to the traditional base-catalyzed ethoxylates. NOVEL® 16-20 Ethoxylate is a white solid that is readily soluble in water.

It is essentially 100% active and has the following structural formula:



### Applications

NOVEL® 16-20 Ethoxylate can be used in a wide variety of applications. It can be used as a high quality, biodegradable emulsifier and/or cleaner in a wide variety of household, as well as, industrial cleaning products. It can also be used in such industrial applications as textile and leather processing, plastics additives, paints and coatings, pulp and paper processing, metal cleaners, car wash products, agricultural adjuvants, and circuit board cleaners.

### Properties

Typical physical properties are listed in the table to the right. Actual properties may vary from lot to lot.

### Contact Information

For technical information or samples:

#### Sasol North America

Product Steward

2201 Old Spanish Trail

Westlake, Louisiana 70669

Telephone: (337)494-4133

Fax: (281)368-0819

[TDS.ProductSteward@us.sasol.com](mailto:TDS.ProductSteward@us.sasol.com)

For sales and pricing information contact a sales representative at:

#### Sasol North America

900 Threadneedle

Houston, TX 77079-2990

Telephone: (281)588-3000

Fax: (281)368-1531

[info@us.sasol.com](mailto:info@us.sasol.com)

Typical Properties	NOVEL® 16-20
Average Molecular Wt.	1122
Color, APHA	< 150
Hydroxyl Number	46 - 54
Water, Wt %	< 0.5
Glycol, Wt %	< 1
Free Alcohol, wt%	< 1
Density, g/mL @ 70°C	1.0048
Flash Point (PM), °C (°F)	>204 (>400)
Melting Range, °C (°F)	40 - 50 (104 - 122)
Boiling Range, °C (°F)	116 (240)
Viscosity, cSt @ 70°C	33.998
pH, 1% in IPA / Water	5 - 8
Vapor Pressure, psi @ 65°C	<0.1
Vapor Density	33-37
Avg. EO Content, moles	20
Avg. EO Content, Wt. %	78
Free EO, PPM	< 1
HLB, calculated	15.6

NOVEL and ALFOL are registered trademarks of Sasol North America Inc.

The preceding data is based on tests and experience, which Sasol North America believes reliable, and is supplied for informational purposes only. Sasol North America expressly disclaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained therein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Sasol North America with respect to the data, the product described, or its fitness for use for any specific purpose, even if that purpose is known to Sasol North America.

For detailed safety and handling information regarding these products, please refer to the respective Sasol North America Material Safety Data Sheet.

5/18/12